



S1000Dinteract™ - Flexible, Mobile Data Delivery Systems

Sean Rushing, S1000D User Forum Vienna 2013



Capture, Create, Manage & Deploy

Solutions for Your Information and Learning Assets

Content Management »

S1000D »

ATA »

Learning Management »




Inmedius and Mobile Content

- Inmedius has been creating web based delivery systems for over 15 years
- Inmedius as has created many types of viewers
 - US Air Force 87269 IETM Viewers
 - Explosive Ordinance Disposal application for handheld data delivery/information collection
 - Crime Scene Unit collaboration application
- Now provides S1000Dinteract Mobile to package S1000D for cross-platform Mobile OS device.

Flexible Viewer to Rapidly Share S1000D Publications Online & Off

- Browser-Based S1000D Viewer
- Powerful Data Access
- Change Bars
- Global Search Capability
- Bookmarks, Hotspots & Annotations
- References
- Consistent Presentation
- Context Sensitive Troubleshooting
- Security with Single Sign-On
- 3D Graphics Support



View S1000D content in a web-based environment with the same look and feel, consistent with documents printed from the authoring environment.

Connected Interact Features



Connected




Standalone



Mobile

S1000Dinteract™



S1000Dinteract
PM-CYPRES-3DLD5-00001-00(en-US)

TOC References SNS Figures Bookmarks Search Annotations


Table of Contents for Maintenance Instructions and Parts List (User)

- ◆ Maintenance Instructions and Parts List
 - ◆ Front Matter
 - ◆ GENERAL INFORMATION AND SAFETY PRECAUTIONS
 - [INTRODUCTION](#)
 - [EQUIPMENT DESCRIPTION](#)
 - ◆ INSTALLATION
 - [FUNCTIONAL DESCRIPTION](#)
 - ◆ OPERATION
 - [INTRODUCTION](#)
 - ◆ CONTROLS AND INDICATORS
 - ◆ OPERATING PROCEDURES
 - [OPERATION OF EQUIPMENT USED IN CONJUNCTION WITH MA](#)
 - ◆ SCHEDULED MAINTENANCE
 - [TROUBLESHOOTING](#)
 - [CORRECTIVE MAINTENANCE](#)
 - ◆ ILLUSTRATED PARTS BREAKDOWN
 - ◆ APPENDICES

Military CYPRES (1) operating range above sea level	- 1500 feet to 44,000 feet
Expert CYPRES (1) altitude adjustment range	±1500 feet
Expert CYPRES (1) operating range above sea level	- 1600 feet to 26,000 feet
Accuracy	better than ±500 feet (at default setting)
Water resistant	optional
Power supply	CYPRES (1) lithium thionyl chloride battery
Maintenance	4 and 8 years from date of manufacture
Total lifetime	12 years from date of manufacture

EQUIPMENT AND ACCESSORIES SUPPLIED.

The three Military CYPRES (1) models and the Expert CYPRES (1) model consist of a processing unit, control unit, release unit and internal battery. The CYPRES (1) is shipped with the battery and release unit installed. Prior to use, a place-in-service inspection will be conducted in accordance with [CYPRES \(1\)-Unpackaging procedures](#) and [Place-in-service inspection procedures-Inspections](#). Any discrepancies found will be documented in accordance with [CYPRES \(1\)-Introduction](#). The CYPRES (1) components are shown in [Fig 1](#) through [Fig 5](#).



Connected Interact Features

Web Browser Based

Full S1000D DM Support

Applicability Filtering

Interactive Graphics

User Access Control

Standalone Interact Features

Disconnected function


Same Look and Feel

Server Deployment

Zero Install

Secure Deployments

Mobile Interact Features



Mobile Deployment Feature

Touch Optimized UI


Maximized Content View

Multiple Device Compatibly

CGM Graphic Support

App Deployment

Publishing Process



Summary

- **Inmedius has been supporting mobile data deployments for over 15 years.**
- **With Inmedius Mobile, data content is optimized for mobile devices**
- **Visit the Inmedius vendor booth to see a demonstration.**

S1000D Product Overview



<http://www.inmediuss1000d.com>

Questions?



Sean Rushing
Inmedius S1000D Products and Services
Inmedius, a Boeing Company
srushing@inmedius.com